

Dolor Bibliographie 08.2

Broschüren mit Empfehlungen zum Verhalten am Arbeitsplatz sowie Übungsprogramme sind bei der Rheumaliga erhältlich: www.rheumaliga.ch (unter "Infocenter_Publicationen")

1. Malmivaara A et al.: The treatment of acute low back pain-bed rest, exercises, or ordinary activity? *N.Engl.J.Med.*, 332: 351-355, 1995;
2. Carey TS et al.: The outcomes and costs of care for acute low back pain among patients seen by primary care practitioners, chiropractors, and orthopedic surgeons. The North Carolina Back Pain Project. *N.Engl.J.Med.*, 333: 913-917, 1995;
3. Indahl A et al.: Good Prognosis for Low Back Pain When Left Untampered. *Spine*, 20: 473-477, 1995;
4. Frank JW et al.: Disability resulting from occupational low back pain. Part II: What do we know about secondary prevention? A review of the scientific evidence on prevention after disability begins. *Spine*, 21: 2918-2929, 1996;
5. Hofstee D: Westeinde sciatica trial: Randomized controlled study of bed rest and physiotherapy for acute sciatica. *J.Neurosurg.*, 96: 45-49, 2002;
6. Waddell G: *The Back Pain Revolution*. Churchill Livingstone, Edinburgh, 1998;
7. Waddell G.: *The Back Pain Revolution*. Churchill Livingstone, Edinburgh, 2004;
8. Hancock MJ et al.: Assessment of diclofenac or spinal manipulative therapy, or both, in addition to recommended first-line treatment for acute low back pain: a randomised controlled trial. *Lancet*, 370: 1638-1643, 2007;
9. Hansson TH et al.: The Effects of Common Medical Interventions on Pain, Back Function, and Work Resumption in Patients with Chronic Low Back Pain. *Spine*, 25: 3055-3064, 2000;
10. Frank JW et al.: Disability resulting from occupational low back pain. Part I: What do we know about primary prevention? A review of the scientific evidence on prevention before disability begins. *Spine*, 21: 2908-2917, 1996;
11. BACK in time: Kreuzschmerzen: Empfehlungen für Abklärung und Behandlung. FMH, Bern, 1997;
12. Keel P et al.: Das Vermeiden der Chronifizierung unspezifischer lumbaler Rückenschmerzen. Teil 1. Hintergründe der Chronifizierung, Handlungsbedarf in den Phasen des Verlaufs. *Swiss Medical Forum*, 7: 514-519, 2007;
13. Keel P et al.: Das Vermeiden der Chronifizierung unspezifischer lumbaler Rückenschmerzen. Teil 2. Evidenzbasierte Empfehlungen für die Therapie in den Phasen des Verlaufs. *Swiss Medical Forum*, 7: 534-538, 2007;
14. van Tulder MW et al.: Nonsteroidal Anti-Inflammatory Drugs for Low Back Pain. *Spine*, 25: 2501-2513, 2000;
15. van Tulder MW et al.: Muscle Relaxants for Nonspecific Low Back Pain: A Systematic Review Within the Framework of the Cochrane Collaboration. *Spine*, 28: 1978-1992, 2003;
16. Cherkin DC et al.: Medication use for low back pain in primary care. *Spine*, 23: 607-614, 1998;
17. Salerno S et al.: The effect of antidepressant treatment on chronic back pain. *Arch.Intern.Med.*, 162 :19-24, 2002;
18. Staiger TO et al.: Systematic review of antidepressants in the treatment of chronic low back pain. *Spine*, 28: 2540-2545, 2003;
19. Maizels M et al.: Antidepressants and antiepileptic drugs for chronic non-cancer pain. *Am.Fam.Physician*, 71: 483-490, 2005;
20. Carotte S et al.: controlled trial of corticosteroid injections into facet joints for chronic low back pain. *N.Engl.J.Med.*, 325 :1002-1007, 1991;
21. Dreyfuss PH et al.: Contemporary concepts in spine care. Lumbar zygapophysial (facet) joint injections. *Spine*, 20: 2040-2047, 1995;
22. Weinstein SM et al.: Contemporary concepts in spine care. Epidural steroid injections. *Spine*, 20: 1842-1846, 1995;
23. van Tulder MW et al.: Conservative treatment of acute and chronic nonspecific low back pain. A systematic review of randomized controlled trials of the most common interventions. *Spine*, 22: 2128-2156, 1997;
24. Meade TW et al.: Low-back pain of mechanical origin: randomized comparison of chiropractic and hospital outpatient treatment. *European Journal of Chiropractic*, 38: 92-107, 1990;
25. Koes BW et al.: Spinal manipulation and mobilisation for back and neck pain: a blinded review. *BMJ*, 303 :1298-1303, 1991;
26. Karjalainen K et al.: Multidisciplinary Biopsychosocial Rehabilitation for Subacute Low Back Pain in Working-Age Adults. *Spine*, 26: 262-269, 2001;
27. Assendelft WJ et al.: Spinal Manipulative Therapy for Low Back Pain. *Ann.Intern.Med.*, 138: 871-881, 2003;
28. Shekelle PG et al.: Spinal manipulation for low-back pain. *Ann.Intern.Med.*, 117: 590-598, 1992;
29. Triano JJ et al.:

Manipulative therapy versus education programs in chronic low back pain. *Spine*, 20: 948-955, 1995; 30. Mitchell RI et al.: Results of a multicenter trial using an intensive active exercise program for the treatment of acute soft tissue and back injuries. *Spine*, 15: 514-521, 1990; 31. Linton SJ et al.: A Controlled Study of the Effects of an Early Intervention on Acute Musculoskeletal Pain Problems. *Pain*, 54: 353-359, 1993; 32. Koes BW et al.: Physiotherapy exercises and back pain: a blinded review. *BMJ*, 302: 1572-1576, 1991; 33. Stankovic R et al.: Conservative treatment of acute low back pain. A 5-year follow-up study of two methods of treatment. *Spine*, 20: 469-472, 1995; 34. Sinclair SJ et al.: The effectiveness of an early active intervention program for workers with soft-tissue injuries. The Early Claimant Cohort Study. *Spine*, 22:2919-2931, 1997. 35. Ljunggren AE et al.: Effect of exercise on sick leave due to low back pain. A randomized, comparative, long-term study. *Spine*, 22: 1610-6; discussion 1617, 1997; 36. Manniche C: Assessment and exercise in low back pain. With special reference to the management of pain and disability following first time lumbar disc surgery. *Dan.Med.Bull.*, 42: 301-313, 1995; 37. Cohen JE et al.: Group education interventions for people with low back pain. An overview of the literature. *Spine*, 19: 1214-1222, 1994; 38. Daltroy LH et al.: A controlled trial of an educational program to prevent low back injuries (see comments). *N.Engl.J.Med.*, 337: 322-328, 1997; 39. Di Fabio RP: Efficacy of comprehensive rehabilitation programs and back school for patients with low back pain: a meta-analysis. *Phys.Ther.*, 75: 865-878, 1995; 40. Heymans MW et al.: Back Schools for Nonspecific Low Back Pain. *Spine*, 30: 2153-2163, 1995; 41. Bendix T et al.: Functional restoration in chronic low back pain. *Scand.J.Med.Sci.Sports*, 6: 88-97, 1996; 42. Sollner W et al.: [Psychological therapy modalities in chronic back pain]. *Schmerz*, 11: 418-429, 1997; 43. Pflugsten M et al.: Effectiveness of a multimodal treatment program for chronic low back pain. *Pain*, 73: 77-85, 1997; 44. Sollner W et al.: Psychologische Therapieverfahren bei chronischen nicht-radikulären Rückenschmerzen. *Orthopade.*, 26: 535-54, 1997; 45. Guzman J et al.: Multidisciplinary rehabilitation for chronic low back pain: systematic review. *BMJ*, 322:1511-1516, 2001; 46. Hazard RG: Spine Update - Functional Restoration. *Spine*, 20: 2345-2348, 1995. 47. Waddell G: Biopsychosocial analysis of low back pain. *Baillieres Clin.Rheumatol.*, 6: 523-557, 1992; 48. Linton SJ et al.: The Secondary Prevention of Low Back Pain: A Controlled Study with Follow-up. *Pain*, 36: 197-207, 1989; 49. Paternostro-Sluga T: EU Richtlinien zur Behandlung akuter und chronischer Rückenschmerzen. *Phys Rehab Kur Med*, 16, 2006; 50. van Tulder MW et al.: Behavioral Treatment for Chronic Low Back Pain. *Spine*, 25: 2688-2699, 2000. 51. Hoffman BM et al: Meta-analysis of psychological interventions for chronic low back pain. *Health Psychol.*, 26: 1-9, 2007